

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 91
Name: **A. Smith & Sons Shipyard Piers.**
Location: Left bank, Curtis Creek north of Pennington Avenue Bridge. Datum: MLW
Operator: A. Smith & Sons.
Owner: A. Smith & Sons.
Address: 6211 Pennington Avenue. Phone: 410-355-7626
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 0 - 20 | 0 - 20 | 0 - 20 Latitude (decimal): 39.208333
Total Berthing Space (feet): 250 | 240 | 500 Longitude (decimal): -76.58222
Remarks: One 1,000- and one 800-ton floating drydocks are moored at North Pier. □ □
Year of Last Survey: 1999 Corps of Eng'nrs Waterway Code: 05550 Dock Code: 906 Baltimore District

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 88
Name: **Amerada Hess Corp., Baltimore Terminal Pier.**
Location: Left bank, Curtis Creek approximately 2,500 feet north of Pennington Avenue Bridge. Datum: MLW
Operator: Amerada Hess Corp.
Owner: Amerada Hess Corp.
Address: 6200 Pennington Avenue. Phone: 410/355-0705
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; bunkering tankers berthed at pier; loading barges for bunkering vessels at berth in harbor.
Depth Alongside (feet): 27 | 35 | 24 Latitude (decimal): 39.212778
Total Berthing Space (feet): | 800 | 500 Longitude (decimal): -76.58
Remarks: Amerada Hess Corp: One 30-, one 24-, one 14-, three 12-, three 8-, and one 6-inch pipelines extend from pier to 32 steel storage tanks, total capacity 3,500,000 barrels. Crown Central Petroleum Corp: One 12-, one 10-, and one 6-inch pipelines (all blanked at time of survey) extend from pier to 5 steel storage tanks, total capacity of 209,000 barrels.
Year of Last Survey: 1999 Corps of Eng'nrs Waterway Code: 05550 Dock Code: 900 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 90
Name: **Amoco Oil Co, Curtis Bay Terminal Dock.**
Location: Left bank, Curtis Creek approximately 800 feet north of Pennington Avenue Bridge. Datum: MLW
Operator: Amoco Oil Co. and Bitumar USA, Inc.
Owner: Amoco Oil Co.
Address: 6200 Pennington Avenue. Phone: 410/636-0522
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Trackage serving plant in rear connects with CSX Transportation, Inc.
Purpose: Receipt and occasional shipment of petroleum products by barge and small tanker.
Depth Alongside (feet): 35 | - | - Latitude (decimal): 39.210278
Total Berthing Space (feet): 700 | | Longitude (decimal): -76.58167
Remarks: Four 10-, and two 6-inch pipelines extend from wharf to 8 steel storage tanks, total capacity 500,000 barrels. Dock was under construction at time of survey and is described as it will appear upon completion.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 904 Baltimore District

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 99
Name: **Blue Circle Cement, Baltimore Terminal Pier.**
Location: Right bank, Curtis Creek, approximately 2,000 feet north of Pennington Avenue Bridge. Datum: MLW
Operator: Blue Circle Cement, Inc.
Owner: Blue Circle Cement, Inc.
Address: 5700 Chemical Road. Phone: 410/355-4440
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt of bulk cement by self-unloading barge and vessel.
Depth Alongside (feet): 32 | | Latitude (decimal): 39.210833
Total Berthing Space (feet): 490 | | Longitude (decimal): -76.57361
Remarks: Four 12-inch pneumatic pipelines extend from inner platform to 16 concrete storage silos at terminal in rear, total capacity of 33,000 tons.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 962 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 79
Name: **Citgo/Tosco, Baltimore Pier.**
Location: East Brooklyn, north side, Curtis Bay, approximately 800 feet west of Fishing Point. Datum: MLW
Operator: Citgo Petroleum Corp. and Tosco Refining Corp.
Owner: Citgo Petroleum Corp. and Tosco Refining Corp.
Address: 2201 Southport Avenue. Phone: 410/355-6500
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Terminal trackage in rear connects with CSX Transportation, Inc.
Purpose: Receipt and shipment of petroleum products by vessel and barge.
Depth Alongside (feet): - | 12 - 18 | 23 Latitude (decimal): 39.225
Total Berthing Space (feet): | 290 | 610 Longitude (decimal): -76.56722
Remarks: Tosco Refining Corp.: One 12-, three 10-, and two 8- inch pipelines extend from pier to 19 steel storage tanks, total capacity of 710,450 barrels. □ Citgo Petroleum Corp.: One 12-, and four 8-inch pipelines extend from pier to 10 steel storage tanks, total capacity of 695,000 barrels.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 852 Baltimore District

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 81
Name: **CSX Transportation, Chesapeake Bay, Coal Pier.**
Location: West side, Curtis Bay, Stonehouse Cove, 2,500 feet south of Patapsco Avenue. Datum: MLW
Operator: CSX Transportation, Inc.
Owner: CSX Transportation, Inc.
Address: 1501 Patapsco Avenue. Phone: 410/613-6380
Town: Baltimore State: MD County: Baltimore City
Railway Connection: CSX Transportation, Inc.: One track extends to each the tandem rotary (shiploader) and single rotary (barge loading) dumpers from 320- and 147- car yards respectively, connecting with 8,000 car Curtis Bay Yard
Purpose: Shipment of coal and stone by barge and vessel.
Depth Alongside (feet): 42 | 30 | 42 Latitude (decimal): 39.223056
Total Berthing Space (feet): | 900 | 900 Longitude (decimal): -76.57667
Remarks: Cranes can load vessels with bulk materials brought to storage area by rail or truck. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 866 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 80
Name: **CSX Transportation, Chesapeake Bay, Ore Pier.**
Location: Curtis Bay, west side, Stonehouse Cove, 2,000 feet south of Patapsco Avenue. Datum: MLW
Operator: CSX Transportation, Inc.
Owner: CSX Transportation, Inc.
Address: 1501 Patapsco Avenue. Phone: 410/613-6380
Town: Baltimore State: MD County: Baltimore City
Railway Connection: CSX Transportation, Inc.: Two surface tracks in rear of facet; two loaded-car tracks and 4 storage tracks in rear, connect with 4,400-car-capacity yard in rear.
Purpose: Receipt and occasional shipment of miscellaneous bulk materials including ore, salt, fertilizer and stone in foreign and domestic trades.
Depth Alongside (feet): 42 | - | Latitude (decimal): 39.225833
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.58083
Remarks: Cranes can load vessels with bulk materials brought to storage area by rail or truck. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 866 Baltimore District

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 82
Name: **CSX Transportation, Chesapeake Bay, Shiploader No. 2, Pier.**
Location: West side, Curtis Bay, approximately 0.5 mile north of Ferry Point. Datum: MLW
Operator: CSX Transportation, Inc.
Owner: CSX Transportation, Inc.
Address: 1501 Patapsco Avenue. Phone: 410/613-6380
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Three surface tracks with capacity for approximately 100 loaded cars and 150 empty cars, serve rotary car dumper; connect with CSX Transportation, Inc.
Purpose: Shipment of coal by barge and vessel.
Depth Alongside (feet): - | 50 | 50 Latitude (decimal): 39.221111
Total Berthing Space (feet): | 909 | 909 Longitude (decimal): -76.57611
Remarks: Approximately 20 acres of open storage area at rear has capacity for 300,000 tons of coal. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 866 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 84
Name: **Gambel Industries, Baltimore Dock.**
Location: Left bank of Curtis Creek, East side of Ferry Point. Datum: MLW
Operator: Not operated.
Owner: Gambel Industries
Address: 5301 Andard Street Phone: 410/355-0533
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 19 | - | Latitude (decimal): 39.2175
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.57889
Remarks: Two unused 10-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity of 3,024,000 gallons. Storage tanks were empty at time of survey (1999).
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 877 Baltimore District

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 87
Name: **General Chemical, Acid Barge Loading Wharf.**
Location: North side of Cabin Branch, approximately 400 feet east of Pennington Avenue Datum: MLW
Operator: General Chemical.
Owner: General Chemical.
Address: 5501 Pennington Avenue Phone: 301-354-5303
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Trackage serving plant in rear connects with CSX Transportation, Inc.
Purpose: Shipment of sulfuric acid by barge.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 39.215
Total Berthing Space (feet): 335 | | Longitude (decimal): -76.585
Remarks: One 4-inch pipeline, with 3-inch connection, extends from wharf to storage tanks described under Ref. No. 85.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 886 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 86
Name: **General Chemical, Acid Dock.**
Location: North side of Cabin Branch, approximately 750 feet east of Pennington Avenue Datum: MLW
Operator: General Chemical.
Owner: General Chemical.
Address: 5501 Pennington Avenue Phone: 410/354-5308
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Trackage serving plant in rear connects with CSX Transportation, Inc.
Purpose: Mooring barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.215556
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.58444
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 886 Baltimore District

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 85
Name: **General Chemical, Main Wharf.**
Location: North side of Cabin Branch, approximately 1,500 feet east of Pennington Avenue Datum: MLW
Operator: Olin Corp. and General Chemical.
Owner: Olin Corp., Olin Chemicals Group.
Address: 5501 Pennington Avenue Phone: 410/354-5308
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Plant trackage in rear connects with CSX Transportation, Inc.
Purpose: Receipt of asphalt, sulfuric acid, and potash.
Depth Alongside (feet): 26 | - | Latitude (decimal): 39.215833
Total Berthing Space (feet): 800 | | Longitude (decimal): -76.58222
Remarks: Olin Corp.: One 12-inch pipeline extends from wharf to 2 steel asphalt storage tanks in rear, total capacity 153,000 barrels. □ General Chemical: Covered storage area in rear has capacity for 35,000 tons of potash. One 8-inch pipeline extends to 3 sulfuric acid storage tanks, total capacity 1,950,000 gallons.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 886 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 101
Name: **Grace Davison, Caustic Soda and Sulfuric Acid Pier.**
Location: Right bank, Curtis Creek, approximately 0.6 mile north of Pennington Avenue Bridge. Datum: MLW
Operator: Grace Davison Division, W.R. Grace & Co.-Conn.
Owner: Grace Davison Division, W.R. Grace & Co.-Conn.
Address: 5500 Chemical Road. Phone: 410/354-8924
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Plant trackage in rear connects with CSX Transportation, Inc.
Purpose: Receipt and shipment of 50% sodium hydroxide solution and sulfuric acid.
Depth Alongside (feet): - | 28 | Latitude (decimal): 39.215556
Total Berthing Space (feet): | 425 | Longitude (decimal): -76.57389
Remarks: One 10-inch, sulfuric acid pipeline extends from pier to one 520,000 gallon capacity steel storage tank, and one 8-inch, sodium hydroxide solution pipeline extends to one 476,000 gallon storage tank at plant in rear. One 2-inch steam and one 1-inch compressed air lines serve pier.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 965 Baltimore District

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 100
Name: **Grace Davison, Sodium Silicate Wharf.**
Location: Right bank, Curtis Creek, approximately 0.5 mile north of Pennington Avenue Bridge. Datum: MLW
Operator: Grace Davison Division, W.R. Grace & Co.-Conn.
Owner: Grace Davison Division, W.R. Grace & Co.-Conn.
Address: 5500 Chemical Road. Phone: 410/354-8924
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Plant trackage in rear connects with CSX Transportation, Inc.
Purpose: Receipt of liquid sodium silicate by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.213611
Total Berthing Space (feet): 175 | | Longitude (decimal): -76.57417
Remarks: One 8-inch pipeline extends from wharf to 7 steel storage tanks at plant in rear, total capacity of 1,828,000 gallons. In addition, one 2-inch steam, and one 1-inch compressed air lines serve wharf.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 965 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 89
Name: **Martin G. Imbach Pier.**
Location: Left bank, Curtis Creek approximately 1,500 feet north of Pennington Avenue Bridge. Datum: MLW
Operator: Martin G. Imbach, Inc.
Owner: Martin G. Imbach, Inc.
Address: 6121 Pennington Avenue. Phone: 410/355-6121
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring company-owned marine construction equipment; Handling construction materials and equipment.
Depth Alongside (feet): - | 30 | 30 Latitude (decimal): 39.211667
Total Berthing Space (feet): | 300 | 300 Longitude (decimal): -76.58056
Remarks: Company office and approximately 1.6 acres of open storage area are located in rear. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 902 Baltimore District

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 83
Name: **McLean Contracting Co. Wharf.**
Location: West side, Curtis Bay, approximately 1,000 feet north of Ferry Point. Datum: MLW
Operator: McLean Contracting Co.
Owner: McLean Contracting Co.
Address: 2001 Benhill Avenue. Phone: 410/355-2222
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Two surface tracks serve yard in rear; connect with CSX Transportation, Inc.
Purpose: Mooring contractor's marine construction equipment.
Depth Alongside (feet): 12 - 22 | | Latitude (decimal): 39.220278
Total Berthing Space (feet): 1,020 | | Longitude (decimal): -76.57861
Remarks: *At time of survey (1999) the 200 foot pier extension was proposed. Approximately 4 acres of open storage area are located in rear. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 875 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 98
Name: **U.S. Coast Guard, Curtis Bay Station, Piers.**
Location: Left bank, Curtis Creek, south of CSX Transportation railroad bridge. Datum: MLW
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 2401 Hawkins Point Road Phone: 410/636-7026
Town: Baltimore State: MD County: Anne Arundel
Railway Connection: None.
Purpose: Mooring small U.S. Coast Guard vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 39.199444
Total Berthing Space (feet): 140 | 210 | 252 Longitude (decimal): -76.57333
Remarks: Piers are equipped with service lines for sanitary sewer. □ □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 931 Baltimore District

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 93
Name: **U.S. Coast, Curtis Bay Yard, East Bulkhead Wharf.**
Location: Right bank, Curtis Creek, east side, Arundel Cove. Datum: MLW
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 2401 Hawkins Point Road Phone: 410/636-7026
Town: Baltimore State: MD County: Anne Arundel
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels for repair.
Depth Alongside (feet): 21 - 22 | | Latitude (decimal): 39.198333
Total Berthing Space (feet): 1,003 | | Longitude (decimal): -76.56806
Remarks: Wharf is equipped with service lines for compressed air, steam and sanitary sewer. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 931 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 92
Name: **U.S. Coast, Curtis Bay Yard, North Bulkhead Wharf.**
Location: Right bank, Curtis Creek, north side, Arundel Cove. Datum: MLW
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 2401 Hawkins Point Road Phone: 410/636-7026
Town: Baltimore State: MD County: Anne Arundel
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels for repair.
Depth Alongside (feet): 20 | - | Latitude (decimal): 39.199722
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.56556
Remarks: Wharf is equipped with a compressed air line. A 250- by 70-foot shop and storage building is located on wharf. □ One 64- and one 14-ton marine railways with a turntable for trackage into a repair shed are located approximately 150 feet east of wharf. □ Additional berthing is available at a 200 foot bulkhead east of the marine railways and along 300 feet of bank at the head of Arundel Cove.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 931 Baltimore District

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 96
Name: **U.S. Coast, Curtis Bay Yard, Pier No 1.**
Location: Left bank, Curtis Creek, approximately 1,700 feet east of CSX Transportation railroad bridge. Datum: MLW
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 2401 Hawkins Point Road Phone: 410/636-7026
Town: Baltimore State: MD County: Anne Arundel
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels for repair; mooring floating drydock (See Remarks).
Depth Alongside (feet): 26 | 26 | 26 Latitude (decimal): 39.1975
Total Berthing Space (feet): | 400 | 400 Longitude (decimal): -76.57306
Remarks: Piers are equipped with service lines for compressed air, steam and welding gas. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 931 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 95
Name: **U.S. Coast, Curtis Bay Yard, Pier No 2.**
Location: Left bank, Curtis Creek, approximately 2,000 feet east of CSX Transportation railroad Datum: MLW
bridge.
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 2401 Hawkins Point Road Phone: 410/636-7026
Town: Baltimore State: MD County: Anne Arundel
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels for repair; mooring floating drydock (See Remarks).
Depth Alongside (feet): 20 | 20 | 32 Latitude (decimal): 39.196944
Total Berthing Space (feet): | 400 | 200 Longitude (decimal): -76.57167
Remarks: At time of survey (1999), plans called for the eventual retirement of the 1,000-ton floating drydock moored along west side. Piers are equipped with service lines for compressed air, steam and welding gas.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 931 Baltimore District

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 94
Name: **U.S. Coast, Curtis Bay Yard, Ship Lift Piers.**
Location: Right bank, Curtis Creek, below mouth of Arundel Cove. Datum: MLW
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 2401 Hawkins Point Road Phone: 410/636-7026
Town: Baltimore State: MD County: Anne Arundel
Railway Connection: None.
Purpose: Providing service to marine elevator; Mooring U.S. Coast Guard vessels for repair; mooring floating drydock.
Depth Alongside (feet): 18 - 20 | 22 | Latitude (decimal): 39.185556
Total Berthing Space (feet): 340 | 180 | - Longitude (decimal): -76.57056
Remarks: A 3,500-ton capacity, electrically driven, marine elevator with a 335 by 56-foot platform is located between piers. Cross-tracking at rear of elevator allows transfer of vessels into either of two 400-foot-long, parallel work bays. At time of survey (1999), plans called for the eventual retirement of the 3,000-ton floating drydock moored along west side. Piers are equipped with service lines for compressed air, steam and welding gas.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 931 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 97
Name: **U.S. Coast, Curtis Bay Yard, West Bulkhead Wharf.**
Location: Left bank, Curtis Creek, approximately 1,000 feet southeast of CSX Transportation railroad bridge. Datum: MLW
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 2401 Hawkins Point Road Phone: 410/636-7026
Town: Baltimore State: MD County: Anne Arundel
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels for repair
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 39.2
Total Berthing Space (feet): 160 | | Longitude (decimal): -76.57389
Remarks: Piers are equipped with service lines for compressed air, steam and welding gas.□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 931 Baltimore District

Port: **Baltimore**
Waterway: **Curtis Bay** Mile: PWD: 102
Name: **United States Gypsum Co., Baltimore Plant Dock.**
Location: Leading Point, south shore of Curtis Bay at confluence with Patapsco River. Datum: MLW
Operator: United States Gypsum Co.
Owner: United States Gypsum Co.
Address: 5500 Quarantine Road. Phone: 410/355-6600
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Plant trackage in rear connects with CSX Transportation, Inc.
Purpose: Receipt of gypsum rock and aragonite sand by self-unloading vessel.
Depth Alongside (feet): 32 | 32 | Latitude (decimal): 39.218611
Total Berthing Space (feet): 740 | | Longitude (decimal): -76.555
Remarks: Steel frame, asbestos-cement covered gypsum rock storage building at plant in rear has storage capacity for approximately 60,000 tons. A 24-inch, electric, belt conveyor extends from storage building to a 1½-acre, open storage area with capacity for approximately 20,000 tons of aragonite sand.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 975 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 52
Name: **ADM/Countrymark North Locust Point Marine Terminal, Pier No 7.**
Location: Locust Point, right bank, Northwest Branch, Patapsco River, approximately 300 feet below foot of Reynold Datum: MLW
Operator: ADM/Countrymark Inc.
Owner: ADM/Countrymark Inc.
Address: 1700 Beason Street. Phone: 410/685-6410
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Trackage serving 3 undertrack pits and loading spout joins 540-car capacity storage yard; connects with CSX Transportation, Inc.
Purpose: Shipment of grain by vessel and occasional receipt and shipment by barge.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 39.273056
Total Berthing Space (feet): | 820 | 1,000 Longitude (decimal): -76.58556
Remarks: Grain elevator in rear has capacity for 3,200,000 bushels. Unused shed on pier is beneath elevated grain gallery. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 641 Baltimore District

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 43
Name: **Baltimore Maritime Museum, Pier No. 4**
Location: Northwest Branch Patapsco River, north side, Inner Harbor, east of foot of Frederick Street. Datum: MLW
Operator: Baltimore Maritime Museum.
Owner: City of Baltimore.
Address: Foot of Market Place. Phone: 410/393-3453
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard Cutter USS Taney on exhibition; Mooring recreational craft and miscellaneous vessels on exhibition.
Depth Alongside (feet): 20 | 8 - 20 | - Latitude (decimal): 39.284167
Total Berthing Space (feet): | 346 | - Longitude (decimal): -76.60722
Remarks: The Baltimore Aquarium and the Baltimore Maritime Museum are located on pier. □* Pedestrian bridge extending from center section of East side to adjacent Pier No. 5 (Ref. No. 42) causes U.S. Coast Guard Cutter USS Taney moored at inner end to be in captive berth.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 482 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 42
Name: **Baltimore Maritime Museum, Pier No. 5**
Location: Northwest Branch Patapsco River, north side, Inner Harbor, east of foot of Market Place. Datum: MLW
Operator: Baltimore Maritime Museum.
Owner: City of Baltimore.
Address: Foot of Market Place. Phone: 410/393-3453
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring miscellaneous vessels on exhibition.
Depth Alongside (feet): 20 | 10 - 20 | 10 - 20 Latitude (decimal): 39.283889
Total Berthing Space (feet): 300 | 380 | 520 Longitude (decimal): -76.60611
Remarks: None.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 482 Baltimore District

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 40
Name: **Broadway Municipal Pier.**
Location: Left bank, Northwest Branch Patapsco River, foot of Broadway. Datum: MLW
Operator: City of Baltimore.
Owner: City of Baltimore.
Address: Foot of Broadway. Phone: 410/522-5110
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring harbor tugs and miscellaneous small vessels.
Depth Alongside (feet): 20 | 20 - 30 | 4 - 16 Latitude (decimal): 39.280278
Total Berthing Space (feet): | 500 | 300 Longitude (decimal): -76.59306
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 426 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 39
Name: **Broadway Recreation Pier.**
Location: Left bank, Northwest Branch Patapsco River, between foot of Ann Street and Broadway. Datum: MLW
Operator: Moran Towing of Maryland, Inc.
Owner: City of Baltimore.
Address: 1715 Thames Street Phone: 410/522-5110
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring harbor tugs.
Depth Alongside (feet): 25 | 16 - 25 | Latitude (decimal): 39.280278
Total Berthing Space (feet): 150 | 500 | Longitude (decimal): -76.59222
Remarks: Tugs berth along west side and portion of outer end. Building on pier contains tugboat dispatch offices.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 425 Baltimore District

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 56
Name: **Erasmus Properties Fort McHenry Yard, Pier**
Location: Locust Point, right bank, Northwest Branch, Patapsco River, approximately 0.4 mile from outer end. Datum: MLW
Operator: Baltimore Metal & Commodities Terminal Inc.
Owner: Erasmus Properties LLC.
Address: 1201 Wallace Street. Phone: 410/752-0583
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt of aluminum ingots and other non-ferrous metals; Mooring vessels at outer end.
Depth Alongside (feet): 35 | 30 - 35 | 28 Latitude (decimal): 39.269444
Total Berthing Space (feet): | 976 | 460 Longitude (decimal): -76.58056
Remarks: A total of approximately 8 acres of open storage area is located at rear and on adjacent former pier.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 631 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 41
Name: **Harbor Boating, Water Taxi Float.**
Location: Left bank, Northwest Branch Patapsco River, between foot of Broadway and Bond Street. Datum: MLW
Operator: Harbor Boating, Inc.
Owner: City of Baltimore.
Address: 1615 Thames Street. Phone: 410/563-3901
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring harbor excursion craft.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.28
Total Berthing Space (feet): 10 | | Longitude (decimal): -76.59361
Remarks: Excursion boats known as 'Water Taxis' transport passengers between various landings throughout Baltimore Harbor. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 429

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 53
Name: **Maryland Port Administration, North Locust Point Marine Terminal,**
Location: Locust Point, right bank, Northwest Branch, Patapsco River, approximately 0.7 mile from outer end. Datum: MLW
Operator: Maryland Port Administration.
Owner: Maryland Port Administration.
Address: 1800 Harbor Drive. Phone: 410/633-1048
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring U.S. Navy Hospital Ship 'Sanctuary' in storage.
Depth Alongside (feet): - | - | 31 - 40 Latitude (decimal): 39.2725
Total Berthing Space (feet): | | 955 Longitude (decimal): -76.58444
Remarks: - □ □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 615 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 55
Name: **Maryland Port Administration, North Locust Point Marine Terminal,**
Location: Locust Point, right bank, Northwest Branch, Patapsco River, approximately 0.5 mile from outer end. Datum: MLW
Operator: Balterm (Baltimore Forest Products Terminals) and Firestone Tire & Rubber Co., Natura
Owner: Maryland Port Administration.
Address: 1950 Harbor Drive. Phone: 410/752-6556
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Two surface tracks on west apron, and one platform-level track on east apron connect with CSX Transportation 2,700 car holding yard in rear of terminal.
Purpose: Receipt of paper products, and liquid latex and receipt and shipment of conventional general cargo.
Depth Alongside (feet): 35 - 38 | 34 - 38 | 18 - 33 Latitude (decimal): 39.270833
Total Berthing Space (feet): 270 | 1,212 | 1,230 Longitude (decimal): -76.58111
Remarks: Platform along east side of transit shed is used by both rail cars and trucks and has 20 sawtooth-type truck-loading stations at 3 separate locations. Firestone Tire & Rubber Co., Natural Latex Division: One 8-inch, liquid latex pipeline extends from west side of pier to storage tanks described under Ref. No 54.

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 623 Baltimore District

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 54
Name: **Maryland Port Administration, North Locust Point Marine Terminal,**
Location: Locust Point, right bank, Northwest Branch, Patapsco River, approximately 0.6 mile from outer end. Datum: MLW
Operator: Balterm (Baltimore Forest Products Terminals); Guthrie Latex, Inc and Firestone Tire
Owner: Maryland Port Administration.
Address: 1900 Harbor Drive. Phone: 410/752-6556
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Two surface tracks on west apron; 3 surface tracks on east apron, and 2 surface tracks serving transit shed platform connect with CSX Transportation 2,700 car holding yard in rear of terminal.
Purpose: Receipt of paper products, and liquid latex and receipt and shipment of conventional general cargo.
Depth Alongside (feet): 35 | 34 | 34 Latitude (decimal): 39.271667
Total Berthing Space (feet): 375 | 1,200 | 1,200 Longitude (decimal): -76.5825
Remarks: Guthrie Industries, Inc: Two 4-inch, liquid latex pipelines with one 5-inch connection on pier extends to 15 storage tanks inside transit shed, total capacity of 780,000 gallons. Firestone Tire & Rubber Co. Natural Latex Division: One 6-inch pipeline extends from east side of pier to 42 concrete storage tanks in building at rear, total capacity of 1,460,000 gallons. Approximately 5,000 square feet of U.S. Customs bonded storage space is located inside transit shed. Terminal area contains 30 acres of lighted, paved, open storage area. A 12-foot wide, roll-on roll-off ramp is located at outer end of pier.

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 620 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 50
Name: **Struever Brothers, Eccles and Rouse Tide Point Dock.**
Location: Right bank, Northwest Branch, Patapsco River, west of foot of Haubert Street. Datum: MLW
Operator: Not operated.
Owner: Struever Brothers, Eccles and Rouse, Inc.
Address: 1422 Nicholson Street Phone:
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.276111
Total Berthing Space (feet): 415 | | Longitude (decimal): -76.59139
Remarks: At time of survey (1999), wharf and area in rear were under development. Future plans for wharf were not completed. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 593

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 49
Name: **Tate & Lyle North American Sugars, Baltimore Refinery, Barge Dock**
Location: Right bank, Northwest Branch, Patapsco River, between foot of Woodall and Decatur Streets extended, in r Datum: MLW
Operator: Tate & Lyle North American Sugars, Inc.
Owner: Tate & Lyle North American Sugars, Inc.
Address: 1100 Key Highway East. Phone: 410/752-6150
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Plant trackage in rear connects with CSX Transportation, Inc.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 - 18 | | Latitude (decimal): 39.275833
Total Berthing Space (feet): 248 | | Longitude (decimal): -76.59389
Remarks: One 10-inch pipeline extends from wharf to 2 steel, fuel oil storage tanks in rear, total capacity of 20,000 barrels. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 578 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 48
Name: **Tate & Lyle North American Sugars, Baltimore Refinery, Raw Sugar D**
Location: Right bank, Northwest Branch, Patapsco River, between foot of Woodall and Decatur Streets extended. Datum: MLW
Operator: Tate & Lyle North American Sugars, Inc.
Owner: Tate & Lyle North American Sugars, Inc.
Address: 1100 Key Highway East. Phone: 410/752-6150
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Plant trackage in rear connects with CSX Transportation, Inc.
Purpose: Receipt of bulk raw sugar; mooring vessels.
Depth Alongside (feet): 38 | 8 - 10 | Latitude (decimal): 39.275278
Total Berthing Space (feet): 1,040 | 420 | Longitude (decimal): -76.59556
Remarks: Total storage capacity of warehouse and storage dome is 52,500 tons.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 578 Baltimore District

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 58
Name: **U.S. Army, Corps of Engineers, Baltimore District, Fort McHenry Ya**
Location: Locust Point, right bank, Northwest Branch, Patapsco River, approximately 1,200 feet from outer end. Datum: MLW
Operator: U.S. Army, Corps of Engineers, Baltimore District.
Owner: U.S. Government.
Address: 2500 Nimitz Drive Phone: 410/458-9705
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring government-owned floating equipment.
Depth Alongside (feet): 12 | 8 | 0 - 12 Latitude (decimal): 39.266944
Total Berthing Space (feet): 160 | 150 | 155 Longitude (decimal): -76.57917
Remarks: Corps of Engineers' vessels, 'Linthicum', and 'Reynolds' moor at pier.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 648 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Northwest Br. Patapsco River** Mile: PWD: 57
Name: **United States Naval Reserve Center,Baltimore Pier.**
Location: Locust Point, right bank, Northwest Branch, Patapsco River, approximately 0.2 mile from outer end. Datum: MLW
Operator: United States Naval Reserve Center,Baltimore.
Owner: United States Government.
Address: 1201 Halsey Place Phone: 410/752-4561
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring United States Naval Reserve training vessels.
Depth Alongside (feet): 10 - 25 | | Latitude (decimal): 39.267778
Total Berthing Space (feet): 200 | | Longitude (decimal): -76.57972
Remarks: United States Naval Reserve Center,Baltimore is located in 3-story brick building at rear.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 635 Baltimore District

Port: **Baltimore**
Waterway: **Northwest Branch Patapsco Riv** Mile: PWD: 34
Name: **Clinton Street Marine Terminal, Pier No 1.**
Location: Left bank, Patapsco River, 900 feet south of foot of Holabird Avenue. Datum: MLW
Operator: McAllister Towing of Baltimore, Inc. and Keystone Ship Berthing Inc.
Owner: Maryland Port Administration.
Address: South Clinton Street. Phone: 410/276-8000
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Two surface tracks on south apron, total length of 2,120 feet and 2 surface tracks extending into former transit shed; connect with Norfolk Southern Corp.
Purpose: Mooring harbor tugs and ships in storage.
Depth Alongside (feet): 32 | 40 | 50 Latitude (decimal): 39.268056
Total Berthing Space (feet): 223 | 1,100 | 1,100 Longitude (decimal): -76.57278
Remarks: McAllister Towing of Baltimore, Inc. harbor tugs moor at inner end of South side. Keystone Ship Berthing Inc. stores vessels on North side and outer end of South side.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 300 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Northwest Branch Patapsco Riv** Mile: PWD: 35
Name: **Clinton Street Marine Terminal, Small Boat Facility.**
Location: Left bank, Patapsco River, 500 feet south of Holabird Avenue. Datum: MLW
Operator: Maryland Port Administration.
Owner: Maryland Port Administration.
Address: 1910 South Clinton Avenue. Phone: 301-333-6392
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring floating equipment.
Depth Alongside (feet): 14 - 16 | 14 - 16 | 10 - 16 Latitude (decimal): 39.269722
Total Berthing Space (feet): 75 | 60 | 150 + Longitude (decimal): -76.57222
Remarks: Approximately ½ acre paved area with office building is located at rear. This facility is used by Vessel Operations Branch, Maryland Port Administration for maintenance of harbor cleaning vessels and scows.

Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 300 Baltimore District

Port: **Baltimore**
Waterway: **Northwest Branch Patapsco Riv** Mile: PWD: 37
Name: **Petroleum Fuel and Terminal Co., Baltimore Barge Dock.**
Location: Left bank, Patapsco River, 150 feet south of Eastbourne Avenue. Datum: MLW
Operator: Petroleum Fuel and Terminal Co., subsidiary of Apex Oil Co.
Owner: Petroleum Fuel and Terminal Co., subsidiary of Apex Oil Co.
Address: 1622 South Clinton Street. Phone: 410/342-7800
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 25 - 27 | 25 - 27 | 25 - 27 Latitude (decimal): 39.271944
Total Berthing Space (feet): | 400 | 360 Longitude (decimal): -76.57194
Remarks: Two 12-, and one 8-inch pipelines with 8-inch connections extend from wharf to 19 steel storage tanks in rear, total capacity of 1,500,000 barrels. One 12-inch pipeline connects the above tanks to 13 steel storage tanks, total capacity of 789,500 barrels, at terminal located at 5101 Erdman Avenue approximately 3 miles north.

Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 317 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Northwest Branch Patapsco Riv** Mile: PWD: 38
Name: **Petroleum Fuel and Terminal Co., Baltimore Tanker Dock.**
Location: Left bank, Patapsco River, Between foot of Eastbourne and Danville Avenues. Datum: MLW
Operator: Petroleum Fuel and Terminal Co., subsidiary of Apex Oil Co.
Owner: Petroleum Fuel and Terminal Co., subsidiary of Apex Oil Co.
Address: 1622 South Clinton Street. Phone: 410/342-7800
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt and occasional shipment of petroleum products by vessel and barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 39.273056
Total Berthing Space (feet): 800 | | Longitude (decimal): -76.57222
Remarks: One 14-, one 12-, and four 8-inch pipelines extend from wharf to storage tanks described under Ref.
No 37.□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 317 Baltimore District

Port: **Baltimore**
Waterway: **Northwest Branch Patapsco Riv** Mile: PWD: 32
Name: **Rukert Terminals Corp., Pier C.**
Location: Left bank, Patapsco River, 350 feet north of foot of Leland Avenue. Datum: MLW
Operator: Rukert Terminals Corp.
Owner: Rukert Terminals Corp.
Address: 2021 South Clinton Street. Phone: 410/276-1013
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 40 | 30 | 30 Latitude (decimal): 39.265
Total Berthing Space (feet): - | 910 | 910 Longitude (decimal): -76.57194
Remarks: Vessels in storage berth two abreast on North side.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 245 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**

Waterway: **Northwest Branch Patapsco Riv** Mile: PWD: 33

Name: **Rukert Terminals Corp., Pier No 5.**

Location: Left bank, Patapsco River, 1,100 feet north of foot of Leland Avenue. Datum: MLW

Operator: Rukert Terminals Corp.

Owner: Rukert Terminals Corp.

Address: 2100 South Clinton Street. Phone: 410/276-1013

Town: Baltimore State: MD County: Baltimore City

Railway Connection: One surface track on inner portion of pier, joins storage yards on opposite side of South Clinton Street; connects with Norfolk Southern Corp.

Purpose: Receipt and occasional shipment of general cargo in foreign and domestic trade and dry bulk commodities, including potash, salt, gypsum rock, and ferroalloys.

Depth Alongside (feet): 36 | 36 | - Latitude (decimal): 39.266944

Total Berthing Space (feet): | 870 | - Longitude (decimal): -76.57278

Remarks: Four warehouses on inner end of pier have capacity for 40,000 tons of bulk material. Five additional warehouses, total capacity approximately 30,000 tons and 20 acres of paved, open storage area is located on opposite side of South Clinton Street. An additional 10-acre open storage area is located approximately 0.5 mile north of wharf on same side of South Clinton Street.

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 245 Baltimore District

Port: **Baltimore**

Waterway: **Northwest Branch Patapsco Riv** Mile: PWD: 36

Name: **Transcom Terminals, Pier 7.**

Location: Left bank, Patapsco River, 200 feet south of Holabird Avenue. Datum: MLW

Operator: Transcom Terminals, Ltd.

Owner: Transcom Terminals, Ltd.

Address: 1800 South Clinton Street. Phone: 410/732-0079

Town: Baltimore State: MD County: Baltimore City

Railway Connection: None.

Purpose: Receipt and shipment of steel, aluminum, paper products heavy-lift items, miscellaneous bulk materials and conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 32 | 27 | 37 Latitude (decimal): 39.271389

Total Berthing Space (feet): | 575 | 575 Longitude (decimal): -76.57167

Remarks: Approximately 1,000,000 square feet of covered and 6 acres of open storage area are located at rear and at other company-owned facilities.□

Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 312 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Old Road Bay** Mile: PWD: 1
Name: **Bethlehem Steel Corp., Pennwood Wharf.**
Location: Old Road Bay, East side of Sparrows Point. Datum: MLW
Operator: Bethlehem Steel Corp.
Owner: Bethlehem Steel Corp.
Address: 2000 Wharf Road. Phone: 410/388-4055
Town: Sparrows Point State: MD County: Baltimore
Railway Connection: Patapsco and Back Rivers Railroad serves area in rear (See Remarks).
Purpose: Occasional shipment of steel and steel products; occasional receipt of construction materials and general cargo.
Depth Alongside (feet): 24 | | Latitude (decimal): 39.211111
Total Berthing Space (feet): 870 | | Longitude (decimal): -76.46167
Remarks: Transit shed is heated. Second floor of building at south end is used for offices, and first floor, for equipment storage and shops. Curved rail trestle approaches to each end of apron were not usable at time of survey (1999).
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 016 Baltimore District

Port: **Baltimore**
Waterway: **Old Road Bay** Mile: PWD: 2
Name: **Blue Circle Cement Co., Sparrows Point Plant Loading Dock**
Location: Old Road Bay, Southeast end of Sparrows Point. Datum: MLW
Operator: Blue Circle Cement Co., Inc.
Owner: Blue Circle Cement Co., Inc.
Address: 2001 Wharf Road. Phone: 410/388-1177 ex
Town: Sparrows Point State: MD County: Baltimore
Railway Connection: Patapsco and Back Rivers Railroad serves plant in rear.
Purpose: Shipment of slag cement by barge.
Depth Alongside (feet): 23 | | Latitude (decimal): 39.208889
Total Berthing Space (feet): 572 | | Longitude (decimal): -76.46167
Remarks: Two storage silos at rear have total capacity for 36,000 tons of slag cement.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 018 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 106
Name: **Baltimore Gas & Electric Co. Brandon Shores Power Plant Coal Pier.**
Location: Right bank, Patapsco River, approximately 2.4 miles below Francis Scott Key Memorial Bridge. Datum: MLW
Operator: Baltimore Gas & Electric Co.
Owner: Baltimore Gas & Electric Co.
Address: 1000 Brandon Shores Road Phone: 410/787-5117
Town: Baltimore State: MD County: Anne Arundel
Railway Connection: Unused plant trackage serves thawing pits and rotary car dumper; connects with CSX Transportation, Inc.
Purpose: Receipt of coal by barge for plant consumption.
Depth Alongside (feet): 17 | 17 | Latitude (decimal): 39.181389
Total Berthing Space (feet): 940 | 1,620 | Longitude (decimal): -76.52
Remarks: Open storage area has capacity for 600,000 tons of coal.□□
Year of Last Survey: 1999 Corps of Eng'rs Waterway Code: 05550 Dock Code: 993 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 65
Name: **Baltimore Gas & Electric Co., Gould Street Station Wharf.**
Location: Left bank, Patapsco River, approximately one mile below Hanover Street Bridge. Datum: MLW
Operator: Baltimore Gas & Electric Co.
Owner: Baltimore Gas & Electric Co.
Address: 901 McComas Street. Phone: 410/787-5117
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt of fuel oil by barge for plant consumption.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.265
Total Berthing Space (feet): 405 | | Longitude (decimal): -76.60361
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks, total capacity 40,000 barrels. One 2½ inch steam line serves wharf. Electric power plant is located in rear.
Year of Last Survey: 1999 Corps of Eng'rs Waterway Code: 05550 Dock Code: 710 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 107
Name: **Baltimore Gas & Electric Co., Herbert A. Wagner Station Fuel Oil**
Location: Right bank, Patapsco River, approximately 2.5 miles below Francis Scott Key Memorial Bridge. Datum: MLW
Operator: Baltimore Gas & Electric Co.
Owner: Baltimore Gas & Electric Co.
Address: 1000 Brandon Shores Road Phone: 410/787-5117
Town: Baltimore State: MD County: Anne Arundel
Railway Connection: Unused plant trackage connects with CSX Transportation, Inc.
Purpose: Receipt of fuel oil for plant consumption; mooring towboats and coal barges.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.179444
Total Berthing Space (feet): 700 | | Longitude (decimal): -76.52444
Remarks: One 16-inch pipeline extends from wharf to 8 steel storage tanks at Herbert A. Wagner Station, total capacity 1,360,000 barrels One 2½-inch steam line serves pier.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 996 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 12
Name: **Baltimore Gas & Electric Co., Riverside Power Plant Pier and Wharf**
Location: Left bank, Patapsco River, approximately 0.6 mile above Francis Scott Key Memorial Bridge, Sparrows Poin Datum: MLW
Operator: Baltimore Gas and Electric Co.
Owner: Baltimore Gas and Electric Co.
Address: 4100 Broenig Highway Phone: 410/787-5117
Town: Sparrows Point State: MD County: Baltimore
Railway Connection: None.
Purpose: Mooring vessels and barges.
Depth Alongside (feet): 16 | 16 | Latitude (decimal): 39.236944
Total Berthing Space (feet): 180 | 270 | Longitude (decimal): -76.51722
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 126 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 8
Name: **Baltimore Marine Industries, Pier No. 1.**
Location: Left bank, Patapsco River, approximately 1.1 miles below Francis Scott Key Memorial Bridge, Sparrows Poi Datum: MLW
Operator: Baltimore Marine Industries Inc.
Owner: Baltimore Marine Industries Inc.
Address: 600 Shipyard Road. Phone: 410/477-7850
Town: Sparrows Point State: MD County: Baltimore
Railway Connection: Patapsco & Back Rivers Railroad: One 1,070-foot surface track on pier connects with plant trackage in rear.
Purpose: Mooring vessels for repair, mooring floating drydock.
Depth Alongside (feet): - | 31 | 53 Latitude (decimal): 39.218889
Total Berthing Space (feet): | 1,183 | - Longitude (decimal): -76.49833
Remarks: Three inactive shipbuilding and launching ways are located south of pier adjacent to north side of graving dock. Pier is equipped with lines for supplying steam, compressed air, and fresh and salt water, and a sewage line from the pier to the plant system.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 072 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 9
Name: **Baltimore Marine Industries, Pier No. 2**
Location: Left bank, Patapsco River, approximately one mile below Francis Scott Key Memorial Bridge, Sparrows Poin Datum: MLW
Operator: Baltimore Marine Industries Inc.
Owner: Baltimore Marine Industries Inc.
Address: 600 Shipyard Road. Phone: 410/477-7850
Town: Sparrows Point State: MD County: Baltimore
Railway Connection: Patapsco & Back Rivers Railroad: One surface track on wharf connects with plant trackage in rear.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 19 - 21 | | Latitude (decimal): 39.219444
Total Berthing Space (feet): 462 | | Longitude (decimal): -76.49556
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 072 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 10
Name: **Baltimore Marine Industries, Pier No. 3**
Location: Left bank, Patapsco River, approximately 0.9 mile below Francis Scott Key Memorial Bridge, Sparrows Poin Datum: MLW
Operator: Baltimore Marine Industries Inc.
Owner: Baltimore Marine Industries Inc.
Address: 600 Shipyard Road. Phone: 410/477-7850
Town: Sparrows Point State: MD County: Baltimore
Railway Connection: Patapsco & Back Rivers Railroad: One surface track extends full length of pier; connects with plant trackage in rear.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): - | 31 | 26 - 76 Latitude (decimal): 39.220278
Total Berthing Space (feet): | 1,200 | 1,180 Longitude (decimal): -76.49778
Remarks: Pier is equipped with lines for supplying steam, compressed air and fresh and salt water. Inner 500 feet of pier is 76 feet wide. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 072 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 11
Name: **Baltimore Marine Industries, Pier No. 4**
Location: Left bank, Patapsco River, approximately 0.8 mile below Francis Scott Key Memorial Bridge, Sparrows Poin Datum: MLW
Operator: Baltimore Marine Industries Inc.
Owner: Baltimore Marine Industries Inc.
Address: 600 Shipyard Road. Phone: 410/477-7850
Town: Sparrows Point State: MD County: Baltimore
Railway Connection: Patapsco & Back Rivers Railroad: One surface track extends full length of pier, connects with plant trackage in rear.
Purpose: Mooring vessels.
Depth Alongside (feet): - | 25 | 10 - 19 Latitude (decimal): 39.221111
Total Berthing Space (feet): - | 1,150 | 1,180 Longitude (decimal): -76.49833
Remarks: - □ □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 072 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 45
Name: **Baltimore Maritime Museum, Pier No. 1**
Location: Northwest Branch Patapsco River, north side, Inner Harbor, foot of South Street. Datum: MLW
Operator: U.S.S. Constellation Foundation, Inc.
Owner: City of Baltimore.
Address: Pratt Street. Phone: 410/539-1797
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring U.S.S. Constellation on exhibition.
Depth Alongside (feet): 20 - 24 | 15 - 21 | Latitude (decimal): 39.285
Total Berthing Space (feet): 105 | 280 | 280 Longitude (decimal): -76.60833
Remarks: 'U.S.S. Constellation' is permanently moored on exhibition along west side of pier. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 482 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 44
Name: **Baltimore Maritime Museum, Pier No. 3**
Location: Northwest Branch Patapsco River, north side, Inner Harbor, foot of Gay Street. Datum: MLW
Operator: Baltimore Maritime Museum.
Owner: City of Baltimore.
Address: Gay Street. Phone: 410/393-3453
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring submarine 'USS Torsk' and Light Ship 'Chesapeake' on exhibition.
Depth Alongside (feet): - - - | 12 - 19 | - Latitude (decimal): 39.285278
Total Berthing Space (feet): | 616 | Longitude (decimal): -76.60861
Remarks: The World Trade Center, Baltimore, is located approximately 200 feet west of the pier. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 482 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 7
Name: **Bethlehem Steel Corp., Coal Unloading Dock.**
Location: Left bank, Patapsco River, approximately 1.4 miles below Francis Scott Key Memorial Bridge, Sparrows Poi Datum: MLW
Operator: Bethlehem Steel Corp.
Owner: Bethlehem Steel Corp.
Address: Shipyard Road. Phone: 410/388-4055
Town: Sparrows Point State: MD County: Baltimore
Railway Connection: None.
Purpose: Occasional mooring of vessels.
Depth Alongside (feet): 18 - 27 | | Latitude (decimal): 39.211944
Total Berthing Space (feet): 1,660 | | Longitude (decimal): -76.49944
Remarks: Four acres of open storage area is located under bridge cranes and an additional 40 acres is located at plant in rear.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 048 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 6
Name: **Bethlehem Steel Corp., High Pier.**
Location: West end of Ore Basin, Sparrows Point. Datum: MLW
Operator: Bethlehem Steel Corp.
Owner: Bethlehem Steel Corp.
Address: Canal Road. Phone: 410/388-4055
Town: Sparrows Point State: MD County: Baltimore
Railway Connection: None.
Purpose: Not operated.
Depth Alongside (feet): 38 | 38 | 25 - 33 Latitude (decimal): 39.210278
Total Berthing Space (feet): | 700 | 700 Longitude (decimal): -76.48444
Remarks: Pier was in poor condition at time of survey (1999)□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 024 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 3
Name: **Bethlehem Steel Corp., Sparrows Point Plant, Ore Pier.**
Location: Left bank, Patapsco River, south side of Sparrows Point. Datum: MLW
Operator: Bethlehem Steel Corp.
Owner: Bethlehem Steel Corp.
Address: Ore Pier Road. Phone: 410/388-4055
Town: Sparrows Point State: MD County: Baltimore
Railway Connection: Patapsco and Back Rivers Railroad serves plant in rear.
Purpose: Receipt of miscellaneous bulk materials including pelletized ore, coke and olivine.
Depth Alongside (feet): | 47 | Latitude (decimal): 39.203056
Total Berthing Space (feet): | 1,153 | Longitude (decimal): -76.48194
Remarks: Two electric winches for positioning vessels are located on turning dolphins. Trucks have access to pier; customs office and approximately 51 acres of open ore storage area are located in rear are served by two stacker-bucket wheel reclaimers.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 020 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 4
Name: **C. J. Langenfelder & Son Loading Dock.**
Location: Left bank, Patapsco River, south side of Ore Basin, east of entrance. Datum: MLW
Operator: C. J. Langenfelder & Son Inc.
Owner: C. J. Langenfelder & Son Inc.
Address: Canal Road. Phone: 410/388-0800
Town: Sparrows Point State: MD County: Baltimore
Railway Connection: None.
Purpose: Shipment of crushed slag by barge and small vessel.
Depth Alongside (feet): 28 | | Latitude (decimal): 39.209722
Total Berthing Space (feet): 425 | | Longitude (decimal): -76.48
Remarks: Trucks operating from 1,000 cubic yard open storage area in rear dump crushed slag into the receiving hopper.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 022 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 21
Name: **Canton Marine Terminal, Pier No 13.**
Location: Left bank, Patapsco River, west of foot of Newkirk Street. Datum: MLW
Operator: Canton Marine Terminal.
Owner: Canton Marine Terminal.
Address: 4601 Newgate Ave. Phone: 410/631-7773
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Four surface tracks on pier connect with Norfolk Southern Corp.
Purpose: Receipt and shipment of roll-on, roll-off and conventional general cargo by vessel and barge; Mooring vessels and barges.
Depth Alongside (feet): 32 | 39 | 28 Latitude (decimal): 39.2575
Total Berthing Space (feet): - | 690 | 1,418 Longitude (decimal): -76.55583
Remarks: Approximately 1.3 acres of open storage area is located on pier.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 200 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 5
Name: **Chesapeake Bulk Stevedores Unloading Wharf.**
Location: North side of Ore Basin, Sparrows Point. Datum: MLW
Operator: Chesapeake Bulk Stevedores Inc.
Owner: Bethlehem Steel Corp.
Address: Canal Road. Phone: 410/388-4251
Town: Sparrows Point State: MD County: Baltimore
Railway Connection: Patapsco & Back Rivers Railroad: One 1,600-foot surface track along north side of yard connects with plant trackage in rear.
Purpose: Receipt of miscellaneous bulk materials including ore, coal, coke and slag; occasional receipt or shipment of slabs, hot bands, alloys and steel products including rail, plate and coils; Receipt of fuel oil.
Depth Alongside (feet): 34 - 36 | | Latitude (decimal): 39.210833
Total Berthing Space (feet): 2,200 | | Longitude (decimal): -76.47778
Remarks: Open storage area under bridge has capacity for approximately 200,000 tons of material. Bethlehem Steel Corp.: One 16-inch pipeline extends from East end of wharf to 3 steel storage tanks at rear, total capacity of 214,300 barrels.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 023 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 75
Name: **Chevron Products Co., Baltimore Asphalt Terminal Dock.**
Location: Right bank, Patapsco River, inner portion, south side of slip, below foot of Chesapeake Avenue. Datum: MLW
Operator: Not operated.
Owner: Chevron Products Co.
Address: 1955 Chesapeake Avenue. Phone: 410/576-3713
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 17 | - | Latitude (decimal): 39.240833
Total Berthing Space (feet): One | | Longitude (decimal): -76.56667
Remarks: Wharf was formerly used for receipt of asphalt. Three 8- and one 6-inch pipelines extend from wharf to 5 steel storage tanks at rear, total capacity 140,000 barrels. At time of survey (1999), plans called for eventual removal of wharf
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 837 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 46
Name: **City of Baltimore Fire Department, Repair Shop Pier.**
Location: Right bank, Northwest Branch, Patapsco River, foot of Boyle Street extended. Datum: MLW
Operator: City of Baltimore, Fire Department, Maintenance Division.
Owner: City of Baltimore.
Address: 1407 Key Highway. Phone: 410/396-5798
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring and repairing fireboats.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.274444
Total Berthing Space (feet): 192 | | Longitude (decimal): -76.60056
Remarks: Building in rear provides complete repair facilities for Fire Department vehicles and fireboats.□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 560 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 59
Name: **City of Baltimore, Fireboat Pier.**
Location: Right bank, Northwest Branch Patapsco River, north of Fort McHenry. Datum: MLW
Operator: City of Baltimore, Fire department.
Owner: City of Baltimore.
Address: 2609 Leahy Street. Phone: 410/396-5773
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring city fireboats 'Mayor J. Harold Grady', 'Mayor Thomas D'Alesandro Jr' and Fire Rescue 1'
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 39.266389
Total Berthing Space (feet): 35 | 35 | 35 Longitude (decimal): -76.57861
Remarks: A one-story office building is located at rear of pier.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 649 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 78
Name: **Condea Vista Co. Pier.**
Location: Right bank, Patapsco River, approximately 1,200 feet below foot of Chesapeake Avenued. Datum: MLW
Operator: Condea Vista Co. Inc.
Owner: Condea Vista Co. Inc.
Address: 3441 Fairfield Road. Phone: 410/354-5968
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Trackage serving plant at rear; connects with CSX Transportation, Inc.
Purpose: Receipt and shipment of miscellaneous liquid chemicals including paraffin, benzene and alkalates, receipt of No. 6 fuel oil.
Depth Alongside (feet): 30 | | | Latitude (decimal): 39.240833
Total Berthing Space (feet): 600 | | | Longitude (decimal): -76.5625
Remarks: One 10- and three 8-inch pipelines extend to 28 steel storage tanks total capacity approximately 60,000,000 gallons at plant in rear.□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 840

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 24
Name: **Consolidation Coal Sales Co., Pier No 10.**
Location: Left bank, Patapsco River, east of foot of Haven Street. Datum: MLW
Operator: Vane Brothers Co.
Owner: Consolidation Coal Sales Co.
Address: 3811 Newgate Ave. Phone: 410/631-5096
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring floating equipment.
Depth Alongside (feet): 30 - 32 | 20 | Latitude (decimal): 39.258056
Total Berthing Space (feet): 1,485 | 200 | Longitude (decimal): -76.56028
Remarks: Pier forms 200-foot wide slip with Pier No. 8 (Ref. No. 25).□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 214

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 23
Name: **Consolidation Coal Sales Co., Pier No 11.**
Location: Left bank, Patapsco River, approximately 450 feet east of foot of Haven Street. Datum: MLW
Operator: Sadowski Towing Co. Inc. and Consolidation Coal Sales Co.
Owner: Consolidation Coal Sales Co.
Address: 4209 Newgate Ave. Phone: 410/633-2103
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring floating equipment; Mooring Hospital Ship USNS Comfort.
Depth Alongside (feet): 32 | | Latitude (decimal): 39.258056
Total Berthing Space (feet): 1,623 | | Longitude (decimal): -76.55889
Remarks: Two-story brick headhouse is used for offices. Trucks have access to apron and interior of transit shed.□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 212 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 28
Name: **Consolidation Coal Sales Co., Pier No. 2.**
Location: Left bank, Patapsco River, approximately 900 feet east of foot of South Clinton Street. Datum: MLW
Operator: Consolidation Coal Sales Co.
Owner: Consolidation Coal Sales Co.
Address: 3800 Newgate Ave. Phone: 410/631-6420
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Three surface loop tracks each with capacity for one unit train, serve tandem rotary car dumper and connect with Norfolk Southern Corp.
Purpose: Shipment of coal by barge and vessel.
Depth Alongside (feet): 35 | 27 | 42 - 50 Latitude (decimal): 39.258611
Total Berthing Space (feet): - | 802 | 1,275 Longitude (decimal): -76.565
Remarks: Ships berth along west side of pier during loading operations and barges berth along east side. Open storage area at rear has capacity for 970,000 tons of coal and is served by two electric, traveling, bucket-wheel, stacker-reclaimers, each with capacity of 6,000 tons per hour. Rotary car dumper has capacity for fifty 100-ton cars per hour.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 227 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 27
Name: **Consolidation Coal Sales Co., Pier No. 3.**
Location: Left bank, Patapsco River, approximately 1,000 feet west of foot of Haven Street. Datum: MLW
Operator: Consolidation Coal Sales Co.
Owner: Consolidation Coal Sales Co.
Address: 3800 Newgate Ave. Phone: 410/631-6420
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Occasional mooring of coal barges.
Depth Alongside (feet): 25 - 35 | 35 | 35 Latitude (decimal): 39.256389
Total Berthing Space (feet): - | - | 859 Longitude (decimal): -76.56333
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 223 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 26
Name: **Consolidation Coal Sales Co., Piers Nos. 4, and 5.**
Location: Left bank, Patapsco River, approximately 900 feet west of foot of Haven Street. Datum: MLW
Operator: Consolidation Coal Sales Co.
Owner: Consolidation Coal Sales Co.
Address: 3800 Newgate Ave. Phone: 410/631-6420
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring coal barges, occasional receipt and shipment of general cargo .
Depth Alongside (feet): 20 - 30 | 20 | Latitude (decimal): 39.258611
Total Berthing Space (feet): 837 | - | Longitude (decimal): -76.56278
Remarks: First floor of warehouse occasionally is used as a transit shed.□□
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 222 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 14
Name: **Dundalk Marine Terminal, Berths Nos. 10, 9, 8, 7.**
Location: Left side, Patapsco River, approximately 1.4 miles above Francis Scott Key Memorial Bridge. Datum: MLW
Operator: Maryland Port Administration.
Owner: Maryland Port Administration.
Address: 2000 Broening Highway. Phone: 410/633-1048
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Three connecting surface tracks extend full length of apron and join trackage described under Ref. No. 13.
Purpose: Receipt and shipment of containerized and roll-on, roll-off general cargo in foreign and domestic trade.
Depth Alongside (feet): 34 | | Latitude (decimal): 39.241667
Total Berthing Space (feet): 2,825 | | Longitude (decimal): -76.53583
Remarks: *Crane with 50 foot gauge can also serve Berths 13, 12 and 11 (Ref. No. 17) Approximately 14.5 acres of paved, container storage area at rear of wharf are part of the total of 570 acres of container storage area serving the terminal area.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 140 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 13
Name: **Dundalk Marine Terminal, Berths Nos. 13, 12, and 11.**
Location: Left bank, Patapsco River, approximately 1.3 mile above Francis Scott Key Memorial Bridge. Datum: MLW
Operator: Maryland Port Administration.
Owner: Maryland Port Administration.
Address: 2000 Broening Highway. Phone: 410/633-1048
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Two surface tracks along rear of face, extending from Berth No. 10, (Ref.No. 18) join additional trackage, at 50-car-capacity North Yard & 200-car capacity South Yard connect with Norfolk Southern Corp.
Purpose: Receipt and shipment of containerized and roll-on, roll-off general cargo in foreign and domestic trade.
Depth Alongside (feet): 42 | | Latitude (decimal): 39.240833
Total Berthing Space (feet): 2,875 | | Longitude (decimal): -76.52833
Remarks: Approximately 23 acres of paved, container storage area at rear of wharf is part of the 570 acres of paved open storage space within the terminal area (230 acres heavy duty. 142 stations for refrigerated cargo containers are located in rear. Customs Offices are located in Sheds Nos. 3, 6, 8, 11, and 12.
Year of Last Survey: 1999 Corps of Eng'rs Waterway Code: 05550 Dock Code: 139

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 15
Name: **Dundalk Marine Terminal, Berths Nos. 6, 5, 4, 3, 2, and 1.**
Location: Left bank, Patapsco River, at entrance to Colgate Creek, approximately 1.8 miles above Francis Scott Key Datum: MLW
Operator: Maryland Port Administration and PM ag Products Inc.
Owner: Maryland Port Administration.
Address: 2000 Broening Highway. Phone: 410/633-1048
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Two connecting surface tracks along aprons of Berths Nos. 6 through 2, one along apron of Berth No 1, two platform-level tracks along rear of Transit Sheds connect with trackage described under Ref. No.13No.7.
Purpose: Receipt and shipment of general cargo in foreign and domestic trade; receipt of molasses;receipt of automobiles; boarding passengers; mooring cruise vessels.
Depth Alongside (feet): 34 | | Latitude (decimal): 39.25
Total Berthing Space (feet): 4,067 | | Longitude (decimal): -76.54917
Remarks: PM ag Products Inc.: One 16-inch pipeline extends from wharf to 7 steel, molasses storage tanks, total capacity of 8,140,000 gallons. A 37,500 square foot, steel frame, metal covered passenger terminal building, located at rear of Berth No 5, operates on a seasonal basis. Over 100 acres of paved lighted, open storage area is located in the terminal complex at the rear of the transit sheds.
Year of Last Survey: 1999 Corps of Eng'rs Waterway Code: 05550 Dock Code: 143 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 16
Name: **Dundalk Marine Terminal, Pilot Boat Dock.**
Location: Left bank, Patapsco River, at entrance to Colgate Creek. Datum: MLW
Operator: Maryland Port Administration..
Owner: Maryland Port Administration.
Address: 2700 Broening Highway. Phone: 410/633-1048
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring pilot boats and other small vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.255556
Total Berthing Space (feet): 95 | | Longitude (decimal): -76.53528
Remarks: Access to South side of pier is precluded by mooring dolphins and catwalk at inner end of Berth No. 1 (Ref. No. 15). A vehicular bridge across Colgate Creek connecting the Dundalk and Seagirt Terminals is located approximately 200 feet north of pier.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 149 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 103
Name: **Eastalco, Hawkins Point Pier.**
Location: Right bank, Patapsco River, above Francis Scott Key Memorial Bridge. Datum: MLW
Operator: Eastalco Aluminum Co., Transmaryland Terminal Corp. and St Lawrence Cement Co.
Owner: Maryland Port Administration.
Address: 4000 Hawkins Point Road. Phone: 410/354-1113
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Four surface tracks on pier connect with CSX Transportation, Inc.
Purpose: Receipt of alumina, liquid fertilizer and cement.
Depth Alongside (feet): - | 39 | 36 Latitude (decimal): 39.213889
Total Berthing Space (feet): | 720 | 720 Longitude (decimal): -76.53944
Remarks: Eastalco Aluminum Co.: Two steel storage silos in rear have capacity for 64,000 tons of alumina. Transmaryland Terminal Corp.: One 8-inch pipeline extends from wharf to two steel liquid fertilizer storage tanks in rear, total capacity of 3,640,000 gallons. St. Lawrence Cement Co.: One 10-inch pneumatic pipeline extends from pier to 3 concrete storage silos in rear, total capacity 75,000 tons.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 982 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 60
Name: **Fort McHenry Tour Boat Pier.**
Location: Right bank, Northwest Branch Patapsco River, north side, outer end of Fort McHenry. Datum: MLW
Operator: Harbor Boating Inc. and others.
Owner: National Historic Seaport of Baltimore.
Address: Fort Avenue. Phone: 410/563-3901
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring harbor excursion and sightseeing boats; boarding passengers.
Depth Alongside (feet): 20 | 5 - 20 | 5 - 20 Latitude (decimal): 39.266111
Total Berthing Space (feet): | 160 | 160 Longitude (decimal): -76.57833
Remarks: Harbor tour vessels operate daily between pier and various points throughout Baltimore Harbor. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 650 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 25
Name: **Great Lakes Dredge and Dock Co. Pier No. 6.**
Location: Left bank, Patapsco River, west of foot of Haven Street. Datum: MLW
Operator: Great Lakes Dredge and Dock Co. and Consolidation Coal Sales Co.
Owner: Consolidation Coal Sales Co.
Address: 3811 Newgate Ave. Phone: 410/631-7145
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: East side: Occasional receipt and shipment of general cargo, mooring miscellaneous vessels. West side: Mooring dredges and other floating equipment.
Depth Alongside (feet): - | 32 | 20 - 30 Latitude (decimal): 39.258333
Total Berthing Space (feet): - | 1,069 | 927 Longitude (decimal): -76.56167
Remarks: Transit shed was unused and in need of repair at time of survey (1999). □ □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 218 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 72
Name: **Hobelmann Port Services Baltimore Terminal Pier.**
Location: Right bank, Patapsco River, approximately 500 feet above Baltimore Harbor Tunnel Datum: MLW
entrance.
Operator: Atlantic Venture, Inc.
Owner: Hobelmann Port Services, Inc.
Address: 2901 Childs Street. Phone: 410/350-0400
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt and shipment of automobiles and roll-on roll-off general cargo.
Depth Alongside (feet): 32 - 34 | 34 | 32 Latitude (decimal): 39.249167
Total Berthing Space (feet): | 825 | 575 Longitude (decimal): -76.57667
Remarks: Approximately 53 acres, fenced, lighted, and paved open storage area for 6,000 vehicles is located at rear. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 808 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 74
Name: **Hobelmann Port Services, Chesapeake Terminal Wharf.**
Location: Right bank, Patapsco River, at foot of Chesapeake Avenue. Datum: MLW
Operator: Hobelmann Port Services, Inc.
Owner: Chesapeake Venture, Inc.
Address: 2001 Chesapeake Avenue. Phone: 410/350-0400
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt and shipment of automobiles and roll-on roll-off general cargo.
Depth Alongside (feet): 30 | | Latitude (decimal): 39.242222
Total Berthing Space (feet): 800 | | Longitude (decimal): -76.56639
Remarks: Approximately 30 acres, fenced, lighted, and paved open storage area for 5,000 vehicles is located at rear. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 836

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 29
Name: **Lebanon Chemical Corp. Dock.**
Location: Left bank, Patapsco River, approximately 200 feet west of foot of South Clinton Street. Datum: MLW
Operator: Lebanon Chemical Corp.
Owner: Lebanon Chemical Corp.
Address: 2400 South Clinton Street. Phone: 410/327-4700
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 13 | | Latitude (decimal): 39.259167
Total Berthing Space (feet): 240 | | Longitude (decimal): -76.56861
Remarks: One 8-inch, pipeline extends from wharf to 4 steel storage tanks at rear, total capacity of 2,366,000 gallons.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 243 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 77
Name: **Liquid Transfer Terminal, Front Wharf.**
Location: Right bank, Patapsco River, below foot of Chesapeake Avenue extended.□ Datum: MLW
Operator: Liquid Transfer Terminal, Inc.; Chevron Products Co. and Stratus Petroleum Corp.
Owner: Liquid Transfer Terminal, Inc.
Address: 3001 Chesapeake Avenue. Phone: 410/354-5122
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt of liquid latex; asphalt and petroleum products (respectively).
Depth Alongside (feet): 30 | | Latitude (decimal): 39.24
Total Berthing Space (feet): 582 | | Longitude (decimal): -76.56472
Remarks: Liquid Transfer Terminal, Inc.: One 12- and seven 6-inch pipelines extend from wharf to 10 steel liquid latex storage tanks, total capacity of 1,076,000 gallons. Chevron Products Co.: One 18-, two 16-, one 8-, and one 6-inch pipelines extend from wharf to 14 steel asphalt storage tanks, total capacity of 1,022,000 barrels. Stratus Petroleum Corp.: Four 16-, one 10-, and one 8-inch pipelines extend from wharf to 11 steel petroleum products storage tanks, total capacity 1,278,000 barrels.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 838 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 76
Name: **Liquid Transfer Terminal, Side Dock.**
Location: Right bank, Patapsco River, outer portion, south side of slip, below foot of Chesapeake Avenue. Datum: MLW
Operator: Not operated.
Owner: Liquid Transfer Terminal, Inc.
Address: 3001 Chesapeake Avenue. Phone: 410/354-5122
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 22 | | Latitude (decimal): 39.241111
Total Berthing Space (feet): 225 | | Longitude (decimal): -76.56583
Remarks: One 12- and seven 6-inch pipelines extend from wharf to liquid latex storage tanks, described under Ref. No. 77.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 838 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 70
Name: **Maryland Port Administration Fairfield Marine Terminal, Pier No. 4**
Location: Right bank, Patapsco River, approximately 1,300 feet above Baltimore Harbor Datum: MLW
Operator: Central Atlantic Toyota Distributors, Inc.
Owner: Maryland Port Administration.
Address: 2900 Childs Street. Phone: 410/864-4915
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt and shipment of automobiles in foreign trade.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 39.251389
Total Berthing Space (feet): | 852 | 420 Longitude (decimal): -76.57833
Remarks: Approximately 45 acres of fenced, lighted, and paved open storage area for 5,000 vehicles is located in rear.□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 800 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 71
Name: **Maryland Port Administration Fairfield Marine Terminal, Pier No. 5**
Location: Right bank, Patapsco River, approximately 1,200 feet above Baltimore Harbor Tunnel entrance. Datum: MLW
Operator: Maryland Port Administration.
Owner: Maryland Port Administration.
Address: 2900 Childs Street. Phone: 410/633-1048
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 28 | 28 | 21 Latitude (decimal): 39.249722
Total Berthing Space (feet): | 413 | 504 Longitude (decimal): -76.57778
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 803 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 69
Name: **Maryland Port Administration, Fairfield Marine Terminal, Pier No.**
Location: Right bank, Patapsco River, approximately 0.4 mile above Baltimore Harbor Tunnel entrance. Datum: MLW
Operator: Maryland Port Administration.
Owner: Maryland Port Administration.
Address: 2900 Childs Street. Phone: 410/633-1048
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 24 - 28 | 28 | 28 Latitude (decimal): 39.250833
Total Berthing Space (feet): | 715 | 955 Longitude (decimal): -76.58056
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 795 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 68
Name: **Maryland Port Administration, Fairfield Marine Terminal, Pier No.**
Location: Right bank, Patapsco River, approximately 0.5 mile above Baltimore Harbor Tunnel Datum: MLW entrance.
Operator: Kurt Metal Services.
Owner: Maryland Port Administration.
Address: 3000 Childs Street. Phone: 410/355-1334
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring vessels for shipbreaking.
Depth Alongside (feet): 22 - 28 | 28 | Latitude (decimal): 39.251389
Total Berthing Space (feet): | 900 | - Longitude (decimal): -76.58167
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 790 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 51
Name: **Maryland Port Administration, North Locust Point Marine Terminal,**
Location: Right bank, Northwest Branch, Patapsco River, Locust Point, foot of Towson Street Datum: MLW extended.
Operator: Westway Terminal Co. Inc. and Ennar Latex, Inc.
Owner: Maryland Port Administration.
Address: 1055 Hull Street. Phone: 410/539-5910
Town: Baltimore State: MD County: Baltimore City
Railway Connection: One 9-car-capacity surface track serves loading and unloading rack at plant in rear; connects with CSX Transportation, Inc.
Purpose: Receipt of molasses and liquid latex, by vessel and barge.
Depth Alongside (feet): 31 - 34 | 31 - 34 | Latitude (decimal): 39.275
Total Berthing Space (feet): 580 | 50 | Longitude (decimal): -76.58861
Remarks: Westway Terminal Co. Inc.: One 12-inch molasses pipeline extends from pier to 6 steel storage tanks, total capacity 8,010,570 gallons; Ennar Latex, Inc: one 6-inch, stainless steel, liquid latex pipeline extends from east side of pier to 26 storage tanks at terminal in rear, total capacity of 519,000 gallons.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 601 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 61
Name: **Maryland Port Administration, South Locust Point Marine Terminal,**
Location: Locust Point, left bank, Patapsco River, approximately 0.5 mile from outer end. Datum: MLW
Operator: International Terminal Operating Corp. of Baltimore.
Owner: Maryland Port Administration.
Address: 2001 East McComas Street Phone: 410/332-8320
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Two surface tracks on apron, total length 4,000 feet, and 2 surface tracks serving platform at rear of container freight station, total length of 1,600 feet; connect with CSX Transportation, Inc.
Purpose: Receipt and shipment of containerized, roll-on roll-off, and conventional general cargo, machinery and steel products in foreign and domestic trade.
Depth Alongside (feet): 36 | | Latitude (decimal): 39.261944
Total Berthing Space (feet): 2,050 | | Longitude (decimal): -76.59278
Remarks: Ancillary facilities at the terminal include a 300-by 60-foot maintenance/gear shed, a truck-weighing station, and approximately 28 acres of lighted, paved, open, container storage area. An additional 9½ acres of lighted, paved, open, container storage area is available at rear of adjacent wharf Ref. No 62.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 689 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 62
Name: **Maryland Port Administration, South Locust Point Marine Terminal,**
Location: Locust Point, left bank, Patapsco River, approximately 1.0 mile from outer end. Datum: MLW
Operator: Maryland Port Administration.
Owner: Maryland Port Administration.
Address: 2001 East McComas Street Phone: 410/633-1048
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Two 1,195-foot surface tracks on apron, connect with CSX Transportation, Inc.
Purpose: Moring vessels in storage.
Depth Alongside (feet): 35 | | Latitude (decimal): 39.263889
Total Berthing Space (feet): 1,139 | | Longitude (decimal): -76.59833
Remarks: At time of survey (1999), approximately 8½ acres of open storage area located at rear was leased to MacMillan Bloedel America Inc. for storage of building materials.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 704 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 105
Name: **Millenium Inorganic Chemicals, Hawkins Point Plant, Barge Pier.**
Location: Right bank, Patapsco River, east side of Hawkins Point, approximately 0.5 mile below Francis Scott Key M Datum: MLW
Operator: Millenium Inorganic Chemicals.
Owner: Millenium Inorganic Chemicals.
Address: 3901 Fort Armistead Road. Phone: 410/354-7338
Town: Baltimore State: MD County: Anne Arundel
Railway Connection: Plant trackage in rear connects with CSX Transportation, Inc.
Purpose: Receipt of sulfuric acid by barge.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 39.206667
Total Berthing Space (feet): | | Longitude (decimal): -76.53139
Remarks: Two 4-inch pipelines extend from wharf to one 293,850-gallon steel storage tank. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 989 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 104
Name: **Millenium Inorganic Chemicals, Hawkins Point Plant, Aragonite Pier**
Location: Right bank, Patapsco River, east side of Hawkins Point, approximately 0.4 mile below Francis Scott Key M Datum: MLW
Operator: Millenium Inorganic Chemicals.
Owner: Millenium Inorganic Chemicals.
Address: 3901 Fort Armistead Road. Phone: 410/354-7338
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Plant trackage in rear connects with CSX Transportation, Inc.
Purpose: Receipt of aragonite sand; Mooring company-owned floating equipment.
Depth Alongside (feet): - | 0 - 8 | 0 - 8 Latitude (decimal): 39.2075
Total Berthing Space (feet): | 200 | 200 Longitude (decimal): -76.53194
Remarks: Open storage area at plant in rear has capacity for approximately 50,000 tons of aragonite sand. The timber pile, timber-decked, T-shaped Fort Armistead Park, Public Recreation Pier is located 260 feet north of pier.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 989 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 20
Name: **National Gypsum Co., Baltimore Plant Wharf.**
Location: Left bank, Patapsco River, east of foot of Newkirk Street. Datum: MLW
Operator: National Gypsum Co.
Owner: National Gypsum Co.
Address: 2301 South Newkirk Street Phone: 410/631-4956
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt of gypsum rock by self-unloading vessel.
Depth Alongside (feet): 32 | | Latitude (decimal): 39.26
Total Berthing Space (feet): 727 | | Longitude (decimal): -76.55444
Remarks: Open storage area at rear of wharf has capacity for 55,000 tons of gypsum rock. A 1.3-acre open storage area for gypsum rock is located on east side of South Newkirk Street in rear.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 197 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 66
Name: **Port Covington Pier No. 6**
Location: Left bank, Patapsco River, approximately one mile below Hanover Street Bridge. Datum: MLW
Operator: Sealift Shipyard, Inc.
Owner: CSX Transportation
Address: 801 McComas Street. Phone: 410/
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring vessels in storage.
Depth Alongside (feet): 34 | 19 - 30 | 34 - 36 Latitude (decimal): 39.263333
Total Berthing Space (feet): | 1430 | 1524 Longitude (decimal): -76.60333
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 712

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 31
Name: **Rukert Terminals Corp., Agrico Pier.**
Location: Left bank, Patapsco River, North of foot of Leland Avenue extended. Datum: MLW
Operator: Rukert Terminals Corp.
Owner: Rukert Terminals Corp.
Address: 2272 South Clinton Street. Phone: 410/276-1013
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Plant trackage in rear connects with Canton Railroad.
Purpose: Mooring vessels.
Depth Alongside (feet): 30 | | Latitude (decimal): 39.264444
Total Berthing Space (feet): 540 | | Longitude (decimal): -76.57167
Remarks: One 5,000 ton capacity bulk storage building is located at rear. □ □
Year of Last Survey: 1999 Corps of Eng'rs Waterway Code: 05550 Dock Code: 245 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 30
Name: **Rukert Terminals Corp., Lazaretto Depot, Berths A and B.**
Location: Left bank, Patapsco River, Lazaretto Point, approximately 300 feet west of foot of South Clinton Street. Datum: MLW
Operator: Rukert Terminals Corp.
Owner: Rukert Terminals Corp.
Address: 2021 South Clinton Street. Phone: 410/276-1013
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Two surface tracks on apron and platform-level track along each rear of each transit shed join additional terminal trackage; connect with Norfolk Southern Corp.
Purpose: Receipt and shipment of conventional and roll-on roll-off general cargo in foreign and domestic trade; receipt of cement.
Depth Alongside (feet): 34 | 35 | Latitude (decimal): 39.26
Total Berthing Space (feet): 575 | 650 | Longitude (decimal): -76.57
Remarks: Two public storage warehouse buildings are located within terminal. Two 10-inch pneumatic pipelines at north side of wharf extend to 12 concrete silos with total storage capacity for 42,000 tons of cement at Lehigh Portland Cement Co. terminal on adjacent property.
Year of Last Survey: 1999 Corps of Eng'rs Waterway Code: 05550 Dock Code: 245 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 17
Name: **Seagirt Marine Terminal, Tug Wharf**
Location: Left bank, Colgate Creek at mouth. Datum: MLW
Operator: Kraus Marine Towing Corp.
Owner: Maryland Transportation Authority.
Address: 2200 Broening Highway. Phone: 410/633-1048
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring tugs and idle vessels.
Depth Alongside (feet): 12 - 30 | | Latitude (decimal): 39.255556
Total Berthing Space (feet): 1,300 | | Longitude (decimal): -76.54056
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 189 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 19
Name: **Seagirt Marine Terminal; Barge Berth**
Location: Left bank, Patapsco River, approximately 0.5 mile above mouth of Colgate Creek. Datum: MLW
Operator: Maryland Port Administration.
Owner: Maryland Port Administration.
Address: 2200 Broening Highway. Phone: 410/633-1048
Town: Baltimore State: MD County: Baltimore city
Railway Connection: Canton Railroad: Five track Intermodal Container Transfer Facility in rear connects with CSX Transportation, Inc.
Purpose: Receipt and shipment of containerized and roll-on roll-off general cargo by barge.
Depth Alongside (feet): 32 | 30 | Latitude (decimal): 39.259167
Total Berthing Space (feet): 700 | 300 | Longitude (decimal): -76.55
Remarks: Use of facilities described under Ref. No. 18.□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 189 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 18
Name: **Seagirt Marine Terminal; Berths Nos. 4, 3, 2 and 1**
Location: Left bank, Patapsco River, above mouth of Colgate Creek. Datum: MLW
Operator: Maryland Port Administration.
Owner: Maryland Transportation Authority.
Address: 2200 Broening Highway. Phone: 410/633-1048
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Canton Railroad: Five track Intermodal Container Transfer Facility 1,000 feet in rear of wharf connects with CSX Transportation, Inc.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 42 | | Latitude (decimal): 39.255833
Total Berthing Space (feet): 3,127 | | Longitude (decimal): -76.53722
Remarks: Approximately 150 acres of paved open storage area is part of the 200 acre Terminal Complex. Net container storage area is 104 acres. At time of survey (1999) Berth No. 4 (2,400 feet long) was under construction adjacent to Berth No. 3.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 189 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 73
Name: **ST Services, Baltimore Terminal Pier.**
Location: Right bank, Patapsco River, east of Harbor Tunnel Entrance. Datum: MLW
Operator: ST Services, Inc.
Owner: ST Services, Inc.
Address: 1800 Frankfur Avenue. Phone: 410/355-6262
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Trackage serving plant at rear, total capacity 50 cars; connects with CSX Transportation, Inc.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities.
Depth Alongside (feet): 35 | 33 | 18 Latitude (decimal): 39.249167
Total Berthing Space (feet): | 1,110 | 860 Longitude (decimal): -76.57306
Remarks: One 12- and two 8- and three 6-inch pipelines extend from pier to 49 steel storage tanks at rear, total capacity of 34,482,000 gallons. One 4-inch nitrogen and one 6-inch compressed air lines serve pier. Vessels berth on west side and barges on east side.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 809 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 67
Name: **The Arundel Corp. Brooklyn plant, Unloading Dock.**
Location: Right bank, Patapsco River, approximately one mile below Hanover Street Bridge. Datum: MLW
Operator: The Arundel Corp., subsidiary of Florida Rock Industries
Owner: The Arundel Corp., subsidiary of Florida Rock Industries
Address: 420 Frankfurst Avenue. Phone: 410/355-4103
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Receipt of sand, gravel and crushed stone by barge.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 39.243611
Total Berthing Space (feet): 600 | | Longitude (decimal): -76.60417
Remarks: Truck scales, ready-mix concrete plant, and open storage area for 70,000 tons of sand and gravel located at rear. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 781 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 47
Name: **The General Ship Repair Corp. Pier.**
Location: Right bank, Northwest Branch, Patapsco River, foot of Lawrence Street extended. Datum: MLW
Operator: The General Ship Repair Corp.
Owner: The General Ship Repair Corp.
Address: 1449 Key Highway. Phone: 410/752-7620
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 18 - 22 | 8 - 18 | 21 Latitude (decimal): 39.274167
Total Berthing Space (feet): | 440 | 290 Longitude (decimal): -76.59889
Remarks: One 900-ton floating drydock is moored along East side of pier. Pier is equipped with water, compressed air, oxygen and acetylene gas. An additional 300 feet of berthing space at 18 foot depth is available at a concrete bulkhead located west of pier.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 05550 Dock Code: 567 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 64
Name: **Tyco Submarine Systems Ltd., Pier No. 7.**
Location: Left bank, Patapsco River, approximately one mile below Hanover Street Bridge. Datum: MLW
Operator: Tyco Submarine Systems Ltd.
Owner: City of Baltimore.
Address: 1001 McComas Street. Phone: 410/783-2206
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Two surface tracks on apron, total length of 1,300 feet and 2 depressed tracks along rear of building, total length of 800 feet, connect with CSX Transportation, Inc.
Purpose: Handling cable, machinery, and communications equipment and supplies.
Depth Alongside (feet): 36 | | Latitude (decimal): 39.265833
Total Berthing Space (feet): 650 | | Longitude (decimal): -76.60222
Remarks: Face of wharf is in line and contiguous with west side of Pier No. 8 (Ref. No. 80). Trucks have access to apron. Approximately 7 acres of lighted, partly paved open storage area is located in rear.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 707 Baltimore District

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 63
Name: **Tyco Submarine Systems Ltd., Pier No. 8.**
Location: Left bank, Patapsco River, approximately one mile below Hanover Street Bridge. Datum: MLW
Operator: Tyco Submarine Systems Ltd.
Owner: City of Baltimore.
Address: 1001 McComas Street. Phone: 410/783-2206
Town: Baltimore State: MD County: Baltimore City
Railway Connection: Two 890-foot surface tracks on each apron, total length of 3,560 feet and two depressed tracks inside building, total length of 1,910 feet, connect with CSX Transportation, Inc.
Purpose: Handling cable, machinery, and communications equipment and supplies.
Depth Alongside (feet): 35 | 30 - 32 | 32 Latitude (decimal): 39.262222
Total Berthing Space (feet): 226 | 900 | 1,056 Longitude (decimal): -76.59944
Remarks: West side of pier is in line and contiguous with Pier No 7 (Ref. No. 64). Trucks have access to aprons and interior of building. Inclosed galleries connect second-floor level to other buildings.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 707 Baltimore District

Port Series No. 10

Port of Baltimore, MD

Port: **Baltimore**
Waterway: **Patapsco River** Mile: PWD: 22
Name: **Vane Terminals, Pier No. 12**
Location: Left bank, Patapsco River, approximately 450 feet west of foot of Newkirk Street. Datum: MLW
Operator: Vane Brothers Co.
Owner: Vane Terminals, Inc.
Address: 4401 Newgate Ave. Phone: 410/631-5096
Town: Baltimore State: MD County: Baltimore City
Railway Connection: None.
Purpose: Mooring floating equipment
Depth Alongside (feet): 30 | 18 - 30 | 18 - 30 Latitude (decimal): 39.2575
Total Berthing Space (feet): - | 1,000 | 600 Longitude (decimal): -76.55639
Remarks: Pier was in poor condition and being rebuilt at time of survey (1999). Approximately 240 feet of berthing space at 12-15 foot depth is available at bulkhead perpendicular to inner end, west side of pier. Approximately 5 acres of open storage area is located at rear of bulkhead.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 05550 Dock Code: 202 Baltimore District
